



# 产品认证证书

证书编号：CQC2008010304282361

## 申请人名称及地址

上海天逸电器有限公司  
上海市松江区车墩镇北闵路 101 号第二、三幢

## 制造商名称及地址

上海天逸电器有限公司  
上海市松江区车墩镇北闵路 101 号第二、三幢

## 生产企业名称及地址

上海天逸电器有限公司 (V005556)  
上海市松江区车墩镇北闵路 101 号第二、三幢

## 产品名称和系列、规格、型号

警示灯

JD50: Ui:400V; Uimp:0.5kV; Ue:AC400V,AC380V,AC220V,AC110V, AC/DC48V; IP65, IP30 (发声部件); 型号解释见附件

## 产品标准和技术要求

GB/T14048.5-2017

## 认证模式

型式试验+获证后监督

上述产品符合 CQC11-462142-2019 认证规则的要求，特发此证。

发证日期：2020 年 05 月 08 日 有效期至：2024 年 06 月 17 日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

主任：\_\_\_\_\_

陆梅



# 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

C 0258859



# PRODUCT CERTIFICATE

**CERTIFICATE NO.:** CQC2008010304282361

**NAME AND ADDRESS OF THE APPLICANT**

Shanghai TAYEE Electric.Co.,Ltd.  
Building 2&3, No.101 Beimin Road, Chedun Town, Songjiang District, Shanghai City, P.R.China

**NAME AND ADDRESS OF THE MANUFACTURER**

Shanghai TAYEE Electric.Co.,Ltd.  
Building 2&3, No.101 Beimin Road, Chedun Town, Songjiang District, Shanghai City, P.R.China

**NAME AND ADDRESS OF THE FACTORY**

Shanghai TAYEE Electric.Co.,Ltd. (V005556)  
Building 2&3, No.101, Beimin Road, Chedun Town, Songjiang District, Shanghai City, P.R.China

**PRODUCT NAME, MODEL AND SPECIFICATION**

Signal tower  
JD50: Ui:400V; Uimp:0.5kV; Ue:AC400V,AC380V,AC220V,AC110V, AC/DC48V; IP65, IP30  
(Sound generating unit)

**THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB/T14048.5-2017

**TYPE OF CERTIFICATION SCHEMES**

Type testing+Follow up factory inspection

This is to certify that the above mentioned product(s) complies with the requirements of certification rules of CQC11-462142-2019 .

Valid from: May.08,2020

Valid until: Jun.17,2024

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

**President:** \_\_\_\_\_

Lu Mei



## CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

C 0258859



# 产品认证证书


附录

第 1 页 共 2 页

证书编号: CQC2008010304282361

纸号: 258859

型号解释:



电压等级: 见下表

颜色代码: R/G/Y/S/W=红/绿/黄/蓝/白

发光/发声方式: 01=连续, 02=间断  
03=转, 04=可调

光源/声源: L=发光二极管, H=超亮发光二极管  
S=氙灯, X=白炽灯  
F◇=蜂鸣, M/V◇=音乐/语音(定制)  
◇: 08/10/12=80/100/120 分贝

外型样式: 单体样式有 A/CA,  
多体样式有 1/2/3/3B/E1/E2/E3

外形大小 50mm

警示灯型号

注: 此附录与证书同时使用时有效。

主任: 陆梅



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>



# 产品认证证书

附录

第 2 页 共 2 页

证书编号: CQC2008010304282361

纸号: 258859

标准电压对应表:

电压代号	140	138	122	111	
对应电压	AC400V	AC380V	AC220V	AC110V	
电压代号	048				
对应电压	AC/DC48V				

警示灯型号描述表

型号	产品差别描述	灯罩	接线座	L	H	S	X	P	F
50A	单体/52mm 灯盖	50A 单体灯盖	50A 单体底座	12	18	√	√		
50CA	单体 68mm 灯盖	50CA 单体灯盖	50A 单体底座	12	18	√	√		
501	多体/光件	501 壳体	501 底座	12	18	√	√		
502	多体/声件	502 壳体	501 底座						√
503	单体/声光件	501 壳体	503 底座	12	18	√	√		√
503B	单体/声光件	501 壳体	503 底座 (内加声件)	12	18				√
50E1	多体 1 节	整体产品			12				
50E2	多体 2 节	整体产品			24				
50E3	多体 3 节	整体产品			36				

灯罩、接线座填写零件名称; L/H 表示 LED 数量; S/X/P/F 表示有或无

注: 此附录与证书同时使用时有效。

主任: \_\_\_\_\_

陆梅



## 中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>